

Top Ten Lists

Last Updated: 1/8/2012

Note: Temperatures are degrees Fahrenheit. Precipitation and snow are inches.

When a tie for 10th place on a list occurred, all tied entries were included.

Wind records only go back to 2000 - Wind Speed is Miles Per Hour (MPH)

Wind Run is how far the wind would go if it blew in one direction in a given period (Miles)

Winter = December, January, February

Spring = March, April, May

Summer = June, July, August

Autumn = September, October, November

Temperature

Hottest Days

	High	Date
1	108	July 22, 1931
2	108	July 24, 1931
3	108	July 25, 1931
4	108	July 28, 1934
5	107	July 23, 1931
6	107	July 26, 1931
7	107	July 13, 2002
8	107	July 17, 2006
9	106	July 16, 1925
10	106	July 21, 1931
11	106	July 26, 1960
12	106	July 12, 2002

Coldest Days

	Low	Date
1	-25	December 13, 1932
2	-25	January 23, 1937
3	-24	January 22, 1937
4	-23	February 10, 1933
5	-23	January 9, 1937
6	-23	January 21, 1937
7	-23	December 23, 1990
8	-22	December 26, 1924
9	-20	December 25, 1924
10	-19	January 10, 1937

Hottest Months (Avg High)

	Avg Hi.	Month
1	99.23	July 1931
2	98.74	July 2003
3	98.06	July 1933
4	98.00	July 2007
5	97.71	July 2002
5	97.71	July 2006
7	97.63	July 1934
8	97.39	July 1960
8	97.39	July 1989
10	97.03	July 1981

Hottest Months (Mean)

	Mean	Month
1	83.95	July 2003
2	83.00	July 2007
3	82.31	July 1931
4	81.90	July 2002
5	81.73	July 2000
6	81.61	July 1981
7	81.60	July 2006
8	81.34	July 1933
9	81.31	July 2005
10	81.29	July 1988

Coldest Months (Avg Low)

	Avg low	Month
1	-0.97	January 1937
2	-0.13	January 1949
3	3.00	January 1922
4	6.26	December 1930
5	6.32	January 1924
6	6.58	January 2007
7	7.10	December 1932
8	7.14	February 1933
9	8.61	January 1989
10	9.04	February 1949

Coldest Months (Mean)

	Mean	Month
1	11.08	January 1937
2	11.34	January 1949
3	16.68	January 1922
4	17.15	December 1930
5	17.63	January 2007
6	20.00	January 1984
7	20.08	January 1924
8	20.23	January 1989
9	20.42	December 1932
10	21.02	December 1990

Coldest Winters (Avg Low)

	Avg low	Year
1	8.15	1948-49
2	10.23	1932-33
3	13.23	1936-37
4	13.62	1988-89
5	14.64	1972-73
6	14.98	1930-31
7	15.25	1963-64
8	15.36	1987-88
9	15.73	1990-91
10	15.74	2006-07

Coldest Winters (Mean)

	Mean	Year
1	19.81	1948-49
2	23.17	1932-33
3	23.76	1988-89
4	24.96	1936-37
5	25.18	1930-31
6	25.70	1972-73
7	25.94	1963-64
8	26.20	1983-84
9	26.26	2006-07
10	26.32	1987-88

Warmest Winters (Avg High)

	Avg Hi.	Year
1	48.94	1933-34
2	47.80	1969-70
3	47.44	1952-53
4	47.28	1980-81
5	46.89	1957-58
6	46.87	1977-78
7	46.79	1958-59
8	46.46	1906-07
9	46.40	1979-80
10	46.19	1999-00

Warmest Winters (Mean)

	Mean	Year
1	37.78	1933-34
2	37.23	1977-78
3	36.42	1999-00
4	35.90	1980-81
5	35.77	1994-95
6	35.75	1957-58
7	35.74	1969-70
8	35.67	1952-53
9	35.58	1979-80
10	35.41	1958-59
11	35.41	1906-07

Coldest Springs (Avg Low)

	Avg low	Year
1	32.99	1953
2	33.00	1922
3	33.06	1933
4	33.14	1908
5	33.18	1975
6	33.66	1920
7	33.71	1950
8	33.72	1970
9	33.89	1923
10	33.93	1971

Coldest Springs (Mean)

	Mean	Year
1	45.48	1922
2	45.84	1975
3	46.28	1964
4	46.39	2010
5	46.69	1933
6	46.69	1927
7	47.03	2011
8	47.17	1965
9	47.20	1944
10	47.20	1953

Warmest Springs (Avg High)

	Avg Hi.	Year
1	74.56	1934
2	71.94	1910
3	69.68	1992
4	69.01	1989
5	68.54	1972
6	68.21	1936
7	67.29	1914
8	67.27	1974
9	67.16	1960
10	67.15	1994

Warmest Springs (Mean)

	Mean	Year
1	58.56	1934
2	56.00	1910
3	55.96	1992
4	54.65	1989
5	54.31	2004
6	54.09	1994
7	53.33	1972
8	53.29	2000
9	53.22	1990
10	53.19	1985

Coollest Summers (Avg Low)

	Avg Low	Year
1	53.87	1907
2	53.88	1906
3	54.15	1923
4	54.73	1908
5	54.95	1993
6	55.06	1945
7	55.45	1965
8	55.61	1905
9	56.11	1925
10	56.36	1950

Coollest Summers (Mean)

	Mean	Year
1	69.99	1907
2	70.24	1965
3	70.34	1993
4	70.70	1923
5	70.75	1927
6	70.82	1908
7	71.25	1945
8	71.65	1914
9	71.66	1925
10	71.76	1916

Hottest Summers (Avg High)

	Avg hi.	Year
1	94.22	1931
2	94.17	1981
3	93.85	2006
4	93.78	1933
5	93.51	2007
6	93.50	1960
7	93.45	1994
8	93.24	1977
9	92.96	1988
10	92.93	1974

Hottest Summers (Mean)

	Mean	Year
1	79.14	2007
2	78.18	1994
3	78.04	1981
4	78.01	1933
5	77.87	1931
6	77.80	2003
7	77.49	2000
8	77.40	2006
9	77.28	2002
10	77.02	1985

Coollest Autumnns (Avg Low)

	Avg Low	Year
1	34.16	1908
2	34.61	1906
3	35.47	1905
4	35.49	1961
5	35.51	1936
6	35.61	1959
7	35.71	1929
8	35.93	1971
9	36.67	1970
10	36.97	1925

Coollest Autumnns (Mean)

	Mean	Year
1	48.92	1961
2	49.82	1971
3	49.84	1919
4	49.98	2000
5	50.06	1906
6	50.13	1941
7	50.17	1908
8	50.29	1922
9	50.40	1929
10	50.67	1925

Hottest Autumnns (Avg High)

	Avg hi.	Year
1	73.03	1933
2	72.27	1950
3	71.58	1953
4	71.43	1962
5	71.35	1977
6	71.29	1999
7	71.21	1995
8	71.17	1952
9	71.03	1979
10	70.76	1937

Hottest Autumnns (Mean)

	Mean	Year
1	58.07	1933
2	57.30	1950
3	57.04	1962
4	56.93	1963
5	56.83	1977
6	56.46	1967
7	56.36	2001
8	56.18	1995
9	56.04	1979
10	56.01	1921

Warmest Years (Mean)

	Mean	Year
1	56.50	1934
2	55.09	1981
3	54.46	2000
4	54.44	1986
5	54.37	2003
6	54.08	1994
7	54.04	1943
8	54.01	1980
9	54.00	2001
10	53.86	1992

Coollest Years (Mean)

	Mean	Year
1	49.10	1922
2	49.62	1908
3	49.75	1949
4	50.08	1920
5	50.20	1984
6	50.26	1927
7	50.38	1924
8	50.40	1964
9	50.60	1975
10	50.63	1993

Precipitation

Wettest Days

	Precip.	Date
1	2.88	May 20, 1975
2	2.27	July 27, 1929
3	2.00	October 27, 1946
4	1.95	April 28, 1953
5	1.62	October 23, 1923
6	1.61	September 5, 1965
7	1.61	June 3, 1999
8	1.60	May 18, 1928
9	1.58	October 20, 2004
10	1.55	April 16, 1944

Snowiest Days

	Snow	Date
1	19	May 20, 1975
2	18	December 20, 1967
3	16	March 16, 1988
4	15	April 1, 1906
5	15	March 14, 1944
6	13.5	December 29, 1972
7	12	January 1, 1924
8	12	January 25, 1954
9	12	February 14, 2008
10	11.5	October 28, 1971

Wettest Months

	Tot. Pcpn.	Month
1	5.20	October 1946
2	5.17	March 1912
3	5.01	September 1982
4	4.88	April 1914
5	4.51	March 2005
6	4.25	May 1975
7	4.14	October 1912
8	4.07	October 1981
9	3.95	May 1995
10	3.74	May 1935

Snowiest Months

	Tot. Snow	Month
1	39.3	January 1949
2	38.3	December 1967
3	37.0	February 1990
4	36.6	December 1948
5	33.0	March 1952
6	33.0	December 1972
7	30.0	December 1924
8	29.5	March 1912
9	27.5	December 1982
10	27.0	December 1988

Snowiest Winters

	Tot. Snow	Year
1	92.9	1948-49
2	59.5	1972-73
3	56.8	1967-68
4	52.5	1978-79
5	51.9	1992-93

Snowiest Winters (Cont.)

	Tot. Snow	Year
6	51.0	1989-90
7	47.0	1987-88
8	46.0	1961-62
9	46.0	1988-89
10	44.8	1936-37

Wettest Winters

	Tot. Pcpn.	Year
1	7.08	1992-93
2	6.37	1909-10
3	6.17	1951-52
4	5.95	1997-98
5	5.78	2007-08
6	5.69	1972-73
7	5.46	1961-62
8	5.36	1977-78
9	5.28	1979-80
10	5.24	1906-07

Driest Winters

	Tot. Pcpn.	Year
1	0.87	1960-61
2	1.18	1976-77
3	1.26	1980-81
4	1.32	1963-64
5	1.39	1942-43
6	1.48	1928-29
7	1.55	1930-31
8	1.57	1950-51
9	1.60	1918-19
10	1.64	1969-70

Wettest Springs

	Tot. Pcpn.	Year
1	10.17	1995
2	10.04	2005
3	9.08	1906
4	9.02	1912
5	8.15	1975
6	7.63	2011
7	7.58	2010
8	7.39	1957
9	7.24	1980
10	7.22	1941

Driest Springs

	Tot. Pcpn.	Year
1	0.38	1934
2	1.29	1974
3	1.44	1955
4	1.51	1972
5	1.65	1950
6	1.66	1936
7	1.74	1956
8	1.80	1910
9	1.87	1931
10	1.88	1943

Wettest Summers

	Tot. Pcpn.	Year
1	8.34	1936
2	6.56	1984
3	5.37	1997
4	5.19	1999
5	4.75	1930
6	4.71	1945
7	4.68	1968
8	4.67	1929
9	4.41	1947
10	4.19	1998

Driest Summers

	Tot. Pcpn.	Year
1	0.14	2002
2	0.26	1996
3	0.33	1960
4	0.41	1974
5	0.43	1933
6	0.66	1942
7	0.68	1946
8	0.70	1931
9	0.78	1905
10	0.79	1980

Wettest Autumns

	Tot. Pcpn.	Year
1	8.25	1982
2	8.18	1946
3	7.85	1994
4	7.26	1981
5	5.88	2000
6	5.60	1983
7	5.60	1978
8	5.47	1972
9	5.45	1998
10	5.41	1908

Driest Autumns

	Tot. Pcpn.	Year
1	0.26	1935
2	0.77	1948
3	0.81	1962
4	0.85	1932
5	0.86	1933
6	0.9	1999
7	1.09	1956
8	1.17	1976
9	1.19	1959
10	1.38	1995

Wettest Years

	Tot. Pcpn.	Year
1	20.80	1998
2	20.43	2005
3	20.23	1983
4	19.37	1984
5	19.16	1978
6	19.05	1906
7	18.63	1941
8	18.26	1982
9	18.04	2010
10	17.99	1980

Driest Years

	Tot. Pcpn.	Year
1	6.59	1934
2	6.69	1950
3	7.11	1989
4	7.74	1974
5	7.75	1956
6	8.22	1960
7	8.25	1976
8	8.25	1942
9	8.35	1931
10	8.43	1939

Snowiest Years

	Tot. Snow	Year
1	100.5	1988
2	100.0	1975
3	83.5	1924
4	81.0	1990
5	80.1	2010
6	77.0	1949
7	75.4	1952
8	73.5	1971
9	70.3	1922
10	68.0	1982

Least Snowiest Years

	Tot. Snow	Year
1	11.0	1943
2	16.0	1934
3	16.2	1997
4	16.6	1946
5	18.0	1926
6	18.5	1928
7	19.5	1950
8	19.5	1992
9	20.5	1986
10	21.5	1925

Wind

Daily Peak Wind Gust

	Mph	Date
1	62	April 15, 2002
2	60	March 30, 2010
3	57	July 23, 2002
4	57	June 6, 2011
5	56	July 1, 2010
6	54	September 19, 2004
7	54	January 8, 2005
8	54	September 30, 2009
9	53	May 24, 2000
10	52	June 1, 2002
11	52	April 2, 2003

Windiest Days (Average Speed)

	Avg Speed	Date
1	21.5	March 30, 2010
2	20.1	April 1, 2003
3	20.1	April 19, 2008
4	20.0	January 8, 2005
5	19.1	April 29, 2008
6	18.3	March 4, 2009
7	18.0	January 11, 2000
8	18.0	October 4, 2007
9	17.9	February 14, 2000
10	17.9	March 3, 2009

Windiest Days (Wind Run)

	Miles	Date
1	516.0	March 30, 2010
2	482.4	April 1, 2003
3	482.4	April 19, 2008
4	480.0	January 8, 2005
5	458.4	April 29, 2008
6	439.2	March 4, 2009
7	432.0	January 11, 2000
8	432.0	October 4, 2007
9	429.6	February 14, 2000
10	429.6	March 3, 2009

Monthly Wind Run

	Miles	Month
1	5966.4	April 2006
2	5944.8	May 2004
3	5805.6	April 2003
4	5688.0	March 2009
5	5647.2	August 2010
6	5604.0	August 2007
7	5433.6	July 2000
8	5426.4	July 2001
9	5416.8	August 2002
10	5131.2	June 2007

Yearly Wind Run

	Miles	Year
1	50078.4	2003
2	49800.0	2002
3	49300.8	2006
4	48544.8	2000
5	48478.6	2007
6	48448.8	2004
7	47496.0	2005
8	46399.2	2008
9	44906.4	2001
10	44673.6	2010